

--	--	--	--	--

Centre Number

--	--	--	--	--	--	--	--	--	--

Student Number



CATHOLIC SECONDARY SCHOOLS
ASSOCIATION OF NEW SOUTH WALES

2004
TRIAL HIGHER SCHOOL CERTIFICATE
EXAMINATION

Chemistry

Afternoon Session
Friday 6 August 2004

General Instructions

- Reading time – 5 minutes
- Working time – 3 hours
- Write using blue or black pen
- Draw diagrams using pencil
- Board-approved calculators may be used
- Use the Data Sheet and Periodic Table provided
- Use Multiple Choice Answer Sheet provided
- Write your Centre Number and Student Number and the top of this page, page 9 and page 21

Total marks – 100

Section I

Pages 3-18

75 marks

This section has two parts, Part A and Part B

Part A – 15 marks

- Attempt Questions 1-15
- Allow about 30 minutes for this part

Part B – 60 marks

- Attempt Questions 16-28
- Allow about 1 hour and 45 minutes for this part

Section II

Pages 21-31

25 marks

- Attempt ONE question from Questions 29-33
- Allow about 45 minutes for this section

Disclaimer

Every effort has been made to prepare these 'Trial' Higher School Certificate Examinations in accordance with the Board of Studies documents, *Principles for Setting HSC Examinations in a Standards-Referenced Framework* (BOS Bulletin, Vol 8, No 9, Nov/Dec 1999), and *Principles for Developing Marking Guidelines Examinations in a Standards Referenced Framework* (BOS Bulletin, Vol 9, No 3, May 2000). No guarantee or warranty is made or implied that the 'Trial' Examination papers mirror in every respect the actual HSC Examination question paper in any or all courses to be examined. These papers do not constitute 'advice' nor can they be construed as authoritative interpretations of Board of Studies intentions. The CSSA accepts no liability for any reliance use or purpose related to these 'Trial' question papers. Advice on HSC examination issues is only to be obtained from the NSW Board of Studies.

2801-1

EXAMINERS

Anna Davis (convenor)	Casimir Catholic College, Marrickville
Karen Bertinshaw	Gilroy College, Castle Hill
Narelle Lovell	Domremy College, Five Dock
Deborah Vitlin	Presbyterian Ladies College, Croydon
Chris Warren	St Vincent's College, Potts Point

Sources

Diagrams for Question 33 (b) & 33 (d)

James, M et al (2000). *Chemical Connections 2 (2nd Edition)*, John Wiley & Sons Australia Ltd, Milton

Section I

75 marks


Part A – 15 marks

Attempt Questions 1-15

Allow about 30 minutes for this part

Use the Multiple Choice Answer Sheet provided


- 1 The diagram shows a commercially significant monomer, systematically known as chloroethene.



What is the common name of the polymer made from this monomer?

- (A) polyethylene
 - (B) polyvinyl chloride
 - (C) polyvinyl acetate
 - (D) polystyrene
- 2 Which statement is correct concerning the addition of bromine water to cyclohexene?
- (A) The reaction is rapid and the bromine water changes colour
 - (B) The reaction is rapid and the cyclohexene changes colour
 - (C) The reaction is slow and requires light energy to proceed
 - (D) The reaction is slow and works best in the dark

- 3 The diagram shows the equipment used to measure the potential difference between two metal electrodes.



Identify the half equation for the reaction taking place at the cathode.

- (A) $\text{Zn (s)} \rightleftharpoons \text{Zn}^{2+} + 2\text{e}^{-}$
(B) $\text{Zn}^{2+} + 2\text{e}^{-} \rightleftharpoons \text{Zn (s)}$
(C) $\text{Cu (s)} \rightleftharpoons \text{Cu}^{2+} + 2\text{e}^{-}$
(D) $\text{Cu}^{2+} + 2\text{e}^{-} \rightleftharpoons \text{Cu (s)}$
- 4 Identify the correct equation for the fermentation of glucose.
- (A) $6\text{CO}_2(\text{g}) + 6\text{H}_2\text{O}(\text{l}) \rightarrow \text{C}_6\text{H}_{12}\text{O}_6(\text{aq}) + 6\text{O}_2(\text{g})$
(B) $\text{C}_6\text{H}_{12}\text{O}_6(\text{aq}) + 6\text{O}_2(\text{g}) \rightarrow 6\text{H}_2\text{O}(\text{l}) + 6\text{CO}_2(\text{g})$
(C) $\text{C}_6\text{H}_{12}\text{O}_6(\text{aq}) \rightarrow 2\text{C}_2\text{H}_5\text{OH}(\text{aq}) + 2\text{CO}_2(\text{g})$
(D) $\text{C}_6\text{H}_{12}\text{O}_6(\text{s}) \rightarrow 2\text{C}_2\text{H}_5\text{OH}(\text{l}) + 2\text{CO}_2(\text{g})$
- 5 Identify the pair of exothermic reactions.

- (A) The combustion of ethanol and the fermentation of glucose
(B) The dehydration of ethanol and the combustion of ethanol
(C) The cracking of petroleum and the dehydration of ethanol
(D) The reaction of a galvanic cell and the cracking of petroleum

- 6 The best indicator to distinguish between rain water and 0.1 mol L^{-1} hydrochloric acid is
- (A) bromothymol blue
 - (B) litmus
 - (C) phenolphthalein
 - (D) methyl orange
- 7 When added to water, the oxides of Group I are
- (A) acidic
 - (B) basic
 - (C) insoluble
 - (D) amphoteric
- 8 The pH of a $0.0115 \text{ mol L}^{-1}$ solution of H_2SO_4 is closest to
- (A) 0.9
 - (B) 1.2
 - (C) 1.6
 - (D) 1.9
- 9 The conjugate acid of HPO_4^{2-} is
- (A) H_3O^+
 - (B) H_2PO_4^-
 - (C) PO_4^{3-}
 - (D) H_3PO_4

- 10 The table below shows the boiling points of some compounds.

<u>Compound</u>	<u>Boiling Point (°C)</u>
butanoic acid	163
butanol	120
ethanoic acid	118
ethanol	78
methanoic acid	101
methanol	65

The boiling points, in °C, of propanoic acid and propanol are closest to

	<i>Propanoic acid</i>	<i>Propanol</i>
(A)	141	97
(B)	95	130
(C)	188	140
(D)	109	72

- 11 Incomplete combustion of hydrocarbons may result in the production of undesirable substances. TWO such substances are
- (A) water and carbon dioxide
 - (B) carbon and carbon monoxide
 - (C) hydrogen and carbon
 - (D) sulfur dioxide and water
- 12 Which of the following is NOT a correct statement about ozone?
- (A) Ozone is less reactive than normal oxygen
 - (B) Ozone is a pollutant in the lower atmosphere
 - (C) Ozone contains a co-ordinate covalent bond
 - (D) Ozone acts as an upper atmosphere UV radiation shield

- 13 The purpose of adding chlorine to domestic water supplies is to
- (A) clarify the water
 - (B) reduce the pH of the water
 - (C) remove heavy metal ions like lead from the water
 - (D) disinfect the water
- 14 A student wanted to determine if a water sample was sea water or fresh water. Which of the following tests would most readily distinguish between sea water and fresh water?
- (A) Hardness
 - (B) Turbidity
 - (C) Total dissolved solids
 - (D) Dissolved oxygen and biochemical oxygen demand
- 15 The Haber process is given below
- $$3 \text{H}_2 (\text{g}) + \text{N}_2 (\text{g}) \rightleftharpoons 2 \text{NH}_3 (\text{g})$$
- Which of the following will favour the production of ammonia?
- (A) Decreasing the concentration of $\text{N}_2 (\text{g})$
 - (B) Decreasing the pressure of the system
 - (C) Adding $\text{Ar} (\text{g})$
 - (D) Decreasing the volume of the system

BLANK PAGE



--	--	--	--	--

Centre Number

--	--	--	--	--	--	--	--	--

Student Number

Chemistry

Section I (continued)

Part B – 60 marks

Attempt Questions 16-27

Allow about 1 hour and 45 minutes for this part

Answer the questions in the spaces provided.

Show all relevant working in questions involving calculations.

Question 16 (3 marks)

Marks

- (a) Identify the substance that must be added to ethylene in order to produce ethanol. 1

.....

- (b) Explain why ethanol will dissolve both in water and in pentane. 2

.....

.....

.....

.....

.....

Question 17 (3 marks)

The following equation shows the nuclear decay of commercially produced radioactive platinum-199.



- (a) Identify particle X. 1

.....

- (b) Describe a process that can be used to detect this radiation. 2

.....

.....

.....

.....

Question 18 (4 marks)

Marks

In your studies, you analysed information regarding the development and use of a particular biopolymer.

4

Assess the impacts that the use of this biopolymer may have on society or the environment.

.....

.....

.....

.....

.....

.....

.....

.....

Question 19 (3 marks)

For this exam, you have been supplied with a data sheet containing a table showing some standard potentials. You have used this information in your course to calculate the E^\ominus requirement of different electrochemical processes.

3

Describe the standard conditions under which these values were obtained and explain why they are necessary.

.....

.....

.....

.....

.....

.....

Question 20 (7 marks)

Marks

During the course, you performed a first-hand investigation to determine the molar heat of combustion of an alkanol.

- (a) Write an equation for the complete combustion of an alkanol. **1**

.....

- (b) Outline a procedure for determining the heat of combustion of an alkanol and justify the procedure you used. **6**

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 21 (4 marks)**Marks**

- (a) Identify the THREE chemicals required to manufacture ethyl butanoate in a school laboratory. **2**

.....

.....

.....

- (b) Identify an ester and outline the use of this ester. **2**

.....

.....

.....

.....

Question 22 (3 marks)

Represent the ionisation of acetic acid in water:

- (a) using an equation; and **1**

.....

- (b) using a diagram to model the resultant solution. **2**

Question 23 (3 marks)

Marks

Coal, containing 0.1 % sulfur, is burned in a power station.

3

Calculate the volume of sulfur dioxide released at 25°C and 100kPa when 10.0 million kg of coal is burned.

.....

.....

.....

.....


.....

.....

HSCFocus.com


A student added 20.0 mL of NaOH solution to a conical flask and placed it on a set of electronic scales, connected to a data logger. The balance was then zeroed.

4



The NaOH was then titrated with excess $0.100 \text{ mol L}^{-1} \text{H}_2\text{SO}_4$ solution. The data logger was used to monitor the changes in pH and mass in the reaction flask.

The data from the data-logger was printed as a graph.



Question 24 continues on page 15

Marks

Question 24 (continued)

Assuming the solutions have a density of 1 g.mL^{-1} , calculate the initial concentration of NaOH in the flask.

.....

.....

.....

.....

.....

.....

.....

.....

Question 25 (6 marks)

Different theories of acids and bases were developed by Lavoisier, Davy, Arrhenius and Brønsted-Lowry. Sulfuric acid, H_2SO_4 was classified as an acid by all of these scientists.

Explain how each of their theories predict that H_2SO_4 is an acid. Support your answer by using equations where appropriate.

6

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 26 (6 marks)

Marks

- (a) Draw the structure of, and name, an example of a CFC (chlorofluorocarbon). **1**

- (b) Identify an alternative used to replace CFCs and account for its use. **2**

.....

.....

.....

.....

- (c) Describe how information about changing atmospheric ozone concentrations is obtained. **3**

.....

.....

.....

.....

.....

.....

Question 27 (8 marks)**Marks**

The Haber process is used to produce ammonia.

- (a) Identify an industrial use of ammonia. **1**

.....

- (b) Is the production of ammonia, using this process, endothermic or exothermic? **1**

.....

- (c) Identify the catalyst used in the Haber process and explain why it is used. **3**

.....

.....

.....

.....

.....

.....

- (d) Why was the work of Haber, in developing the process for the production of ammonia, so significant? **3**

.....

.....

.....

.....

.....

.....

Question 28 (6 marks)

Marks

Assess the impact of the use of Atomic Absorption Spectroscopy on society and the environment.

6

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

HSCFOCUS.COM

HSCFocus.com

BLANK PAGE

HSCFocus.com

BLANK PAGE



--	--	--	--	--

Centre Number

--	--	--	--	--	--	--	--	--	--

Student Number

Chemistry

Section II

25 marks

Attempt ONE question from Questions 29-33

Allow about 45 minutes for this section

Answer the question in a SEPARATE writing booklet.

Show all relevant working in questions involving calculations.


	Page
Question 29 Industrial Chemistry	22-24
Question 30 Shipwrecks, Corrosion and Conservation	25
Question 31 The Biochemistry of Movement.....	26-27
Question 32 The Chemistry of Art.....	28-29
Question 33 Forensic Chemistry.....	30-31

Question 29 – Industrial Chemistry (25 marks)**Marks**

- (a) Sodium hydroxide is commercially manufactured from sodium chloride by electrolysis.

- (i) Define electrolysis. 1
- (ii) Explain how an advance in technology has led to improvements in the way that sodium hydroxide is made. 3

- (b) One stage in the production of sulfuric acid is shown below.





- (i) Write a balanced equation to represent the equilibrium reaction that occurs in the catalytic converter. 1
- (ii) Calculate a value for the equilibrium constant (K) if the equilibrium concentrations of the gases in the catalytic converter are: 2
- $[\text{O}_2] = 1.0 \text{ molL}^{-1}$
 $[\text{SO}_2] = 2.0 \text{ molL}^{-1}$
 $[\text{SO}_3] = 4.0 \text{ molL}^{-1}$
- (iii) Explain the safety precautions required when transporting sulfuric acid. 3

Question 29 continues on page 23

- (c) The recovery of ammonia during the Solvay process can be modelled in the laboratory.

A mixture of solid ammonium chloride and calcium hydroxide is heated strongly in a flask. The ammonia produced is bubbled through a solution of salt water.



- (i) Outline a method for quantitatively measuring the amount of ammonia produced. 2
- (ii) Account for the colour change observed if several drops of phenolphthalein are added to the salt water. 2

Question 20 continues on page 24

- (d) Two dishwashing detergent packages are shown below.

Detergent A**Detergent B**

Recommend the most "environmentally friendly" detergent. Justify your choice.

4

- (c) Modelling is used in chemistry to represent chemical reactions and explain concepts.

7

Discuss the features of a model you have used to demonstrate the effect of changing concentration on an equilibrium reaction.

End of Question 29


Question 30 – Shipwrecks, Corrosion and Conservation (25 marks) **Marks**

- | | | | |
|--|--|--|----------|
| (a) | (i) | Identify a negative ion that is present in artefacts recovered from ocean shipwrecks. | 1 |
| | (ii) | Explain why artefacts recovered from long submerged shipwrecks are not dried immediately. | 3 |
| | | | |
| (b) | (i) | Identify the TWO main elements in steel. | 1 |
| | (ii) | Explain the process of rusting of steel objects. | 2 |
| | (iii) | Account for the fact that the composition of steel alloys can determine its properties such as corrosion resistance. | 3 |
| | | | |
| (c) | (i) | Outline the procedure you used to identify ONE factor that affected the rate of electrolysis. | 2 |
| | (ii) | Account for your observations. | 2 |
| | | | |
| (d) | A student used iron nails that had been painted as one of the samples tested in a first-hand investigation designed to compare the effectiveness of different protections used to coat iron and prevent corrosion. | | 4 |
| | | | |
| <p>The student weighed each of the 5 iron nails with the paint coat intact and placed them into 5 identical test tubes containing 10 mL of a 1 molL⁻¹ solution of hydrochloric acid. She then used a file to remove a strip of paint from 5 additional iron nails, exposing the bare metal underneath.</p> <p>These nails were also weighed before placing them into 5 identical test tubes containing 10 mL of a 1 molL⁻¹ solution of hydrochloric acid. These samples were then left overnight.</p> <p>Evaluate the student's procedure.</p> | | | |
| | | | |
| (e) | Discuss the chemistry involved and the impacts on society and the environment of the application of cathodic protection in marine and wet terrestrial environments. | | 7 |

End of Question 30

Question 31 – The Biochemistry of Movement (25 marks)**Marks**

This diagram is needed for part (a) and part (b).




Molecule A

- (a) (i) Identify the class of compounds to which molecule A belongs. **1**
- (ii) Identify the part of this molecule that mixes with water and explain why this occurs. **3**
- (b) Molecule A is stored in human cells as part of a larger molecule called a triacyl glycerol (TAG).
- TAGs are produced when molecules such as molecule A form ester linkages with a particular alcohol.
- (i) Identify this alcohol. **1**
- (ii) Explain, using a diagram if necessary, the process of oxidation of molecule A. **2**
- (iii) Compare and assess the importance of TAGs and glycogen in their respective roles as stores of the energy required for human metabolism. **3**
- (c) Proteins are important both as structural molecules and as enzymes. During the course, you performed a first-hand investigation to investigate the effect of pH or temperature on the action of an enzyme.
- (i) Identify the enzyme used and its substrate. **1**
- (ii) Assess the validity and accuracy of your experiment. **3**

Question 31 continues on page 27

- (d) The diagram below shows an important metabolic pathway in the human body.




Discuss the importance of the PDH (Pyruvate dehydrogenase) complex in its inhibition of the conversion of pyruvate to acetyl CoA, relating it to a body's needs in prolonged gentle exercise.

4

- (e) Evaluate the importance of NADH and FADH₂ in the human respiratory chain.

7



End of Question 31

Question 32 – The Chemistry of Art (25 marks)**Marks**

- (a) (i) Name a cosmetic pigment used in ancient Egypt or Rome. **1**
- (ii) Assess the potential health risk associated with the use of this pigment. **3**
- (b) An atom of a certain element has the electronic configuration
 $1s^2 2s^2 2p^6 3s^2 3p^6 3d^3 4s^2$
- (i) What is the name of the element? **1**
- (ii) Describe any differences in energy between the 1s, 2s and 2p subshells. **2**
- (iii) How does the Pauli exclusion principle and Hund's rule allow you to identify the position of electrons around this atom? **3**
- (c) During your practical work you performed a first-hand investigation to observe the colour changes that occur as a transition metal changes its oxidation state.
- (i) Name the transition metal you used in this practical work. **1**
- (ii) Account for the colour changes you observed as the oxidation state of your metal ion changed. **3**
- (d) The diagram for this question is on the next page. **4**
- The diagram shows a structure for the oxalate ion and a structure for the coordination complex ion known as the trisoxalatochromate(III) ion.
- Describe the bonding that occurs in the coordination complex ion.
- (e) In 1914 Niels Bohr published his model of the structure of the atom based on study of the line spectrum of hydrogen. **7**
- Assess how useful his model has been.

Question 32 continues on page 29


Question 32 (continued)

Diagrams for Question 32 (d)

Example of a Bidentate Ligand


A bidentate ligand has two points at which it can attach to the central atom. One example of such a ligand is the:

oxalate ion



The two single-bonded oxygen atoms can each donate electrons to a central atom. Three oxalate ions can coordinate a single central atom, giving an octahedral complex. The result looks like this:


trioxalatochromate(III) ion or just $[\text{Cr}(\text{ox})_3]^{3-}$



End of Question 32

Question 33 – Forensic Chemistry (25 marks)**Marks**

- (a) (i) Identify ONE of the major functional groups in an amino acid. **1**
- (ii) Explain how proteins are formed from amino acids. **3**
- (b) The diagram below shows the spectra of a sample of lawn food. It also shows the spectra of some trace elements that may be present in lawn food.


**Spectra of elements in lawn food**

- (i) Identify ONE trace element that is present in lawn food. **1**
- (ii) Describe, using a specific example, the use of line emission spectra by the forensic chemist to identify the presence of elements in chemicals. **2**
- (iii) Explain why each element produces its signature emission spectrum. **3**
- (c) During the course, you performed chemical tests to distinguish between alkenes and alkanols.
- A student tested 1-propanol and cyclohexene with bromine water. The student also tested 1-propanol and cyclohexene with acidified potassium permanganate.
- (i) Identify ONE safety precaution that must be taken during this investigation (general answers, eg safety glasses, will not be accepted). **1**
- (ii) Account for your observations, including the names of any products formed. **3**


Question 33 continues on page 31

- (d) Compare gas chromatography (GC) with high performance liquid chromatography (HPLC).

4



Gas Chromatography

High Performance
Liquid Chromatography

- (e) Discuss how the process of electrophoresis assists the forensic chemist in analysing DNA.

7

End of Question 33**End of paper**

HSCFocus.com

BLANK PAGE

--	--	--	--	--

Centre Number

--	--	--	--	--	--	--	--	--

Student Number

**CATHOLIC SECONDARY SCHOOLS ASSOCIATION OF NEW SOUTH WALES
YEAR 12 TRIAL HIGHER SCHOOL CERTIFICATE EXAMINATION 2004**

CHEMISTRY– MULTIPLE CHOICE ANSWER SHEET

Select the alternative A, B, C, or D that best answers the question. Fill in the response oval completely.

Sample $2 + 4 =$ (A) 2 (B) 6 (C) 8 (D) 9

A ☐ B ☒ C ☐ D ☐

If you think you have made a mistake, put a cross through the incorrect answer and fill in the new answer.

A ☒ B ☒ C ☐ D ☐

If you have changed your mind and have crossed out what you consider to be the correct answer, then indicate this by writing the word *correct* and drawing an arrow as follows:

A ☒ B ☒ ^{correct} C ☐ D ☐

ATTEMPT ALL QUESTIONS

- | | | | | | |
|-----------------|-----------|-------------------------|-------------------------|-------------------------|-------------------------|
| Question | 1 | A <input type="radio"/> | B <input type="radio"/> | C <input type="radio"/> | D <input type="radio"/> |
| | 2 | A <input type="radio"/> | B <input type="radio"/> | C <input type="radio"/> | D <input type="radio"/> |
| | 3 | A <input type="radio"/> | B <input type="radio"/> | C <input type="radio"/> | D <input type="radio"/> |
| | 4 | A <input type="radio"/> | B <input type="radio"/> | C <input type="radio"/> | D <input type="radio"/> |
| | 5 | A <input type="radio"/> | B <input type="radio"/> | C <input type="radio"/> | D <input type="radio"/> |
| | 6 | A <input type="radio"/> | B <input type="radio"/> | C <input type="radio"/> | D <input type="radio"/> |
| | 7 | A <input type="radio"/> | B <input type="radio"/> | C <input type="radio"/> | D <input type="radio"/> |
| | 8 | A <input type="radio"/> | B <input type="radio"/> | C <input type="radio"/> | D <input type="radio"/> |
| | 9 | A <input type="radio"/> | B <input type="radio"/> | C <input type="radio"/> | D <input type="radio"/> |
| | 10 | A <input type="radio"/> | B <input type="radio"/> | C <input type="radio"/> | D <input type="radio"/> |
| | 11 | A <input type="radio"/> | B <input type="radio"/> | C <input type="radio"/> | D <input type="radio"/> |
| | 12 | A <input type="radio"/> | B <input type="radio"/> | C <input type="radio"/> | D <input type="radio"/> |
| | 13 | A <input type="radio"/> | B <input type="radio"/> | C <input type="radio"/> | D <input type="radio"/> |
| | 14 | A <input type="radio"/> | B <input type="radio"/> | C <input type="radio"/> | D <input type="radio"/> |
| | 15 | A <input type="radio"/> | B <input type="radio"/> | C <input type="radio"/> | D <input type="radio"/> |

**CATHOLIC SECONDARY SCHOOLS ASSOCIATION
CHEMISTRY DATA SHEET**

Avogadro's constant, N_A $6.022 \times 10^{23} \text{ mol}^{-1}$

Volume of 1 mole ideal gas: at 100 kPa and

at 0°C (273 K) 22.71 L

at 25°C (298 K) 24.79 L

Ionisation constant for water at 25°C (298.15 K), K_w 1.0×10^{-14}

Specific heat capacity of water $4.18 \times 10^3 \text{ J kg}^{-1} \text{ K}^{-1}$

Some useful formulae

$$\text{pH} = -\log_{10} [\text{H}^+]$$

$$\Delta H = -mC\Delta T$$

Some standard potentials

$\text{K}^+ + \text{e}^-$	\rightleftharpoons	$\text{K}_{(s)}$	-2.94 V
$\text{Ba}^{2+} + 2\text{e}^-$	\rightleftharpoons	$\text{Ba}_{(s)}$	-2.91 V
$\text{Ca}^{2+} + 2\text{e}^-$	\rightleftharpoons	$\text{Ca}_{(s)}$	-2.87 V
$\text{Na}^+ + \text{e}^-$	\rightleftharpoons	$\text{Na}_{(s)}$	-2.71 V
$\text{Mg}^{2+} + 2\text{e}^-$	\rightleftharpoons	$\text{Mg}_{(s)}$	-2.36 V
$\text{Al}^{3+} + 3\text{e}^-$	\rightleftharpoons	$\text{Al}_{(s)}$	-1.68 V
$\text{Mn}^{2+} + 2\text{e}^-$	\rightleftharpoons	$\text{Mn}_{(s)}$	-1.18 V
$\text{H}_2\text{O} + \text{e}^-$	\rightleftharpoons	$\frac{1}{2} \text{H}_{2(g)} + \text{OH}^-$	-0.83 V
$\text{Zn}^{2+} + 2\text{e}^-$	\rightleftharpoons	$\text{Zn}_{(s)}$	-0.76 V
$\text{Fe}^{2+} + 2\text{e}^-$	\rightleftharpoons	$\text{Fe}_{(s)}$	-0.44 V
$\text{Ni}^{2+} + 2\text{e}^-$	\rightleftharpoons	$\text{Ni}_{(s)}$	-0.24 V
$\text{Sn}^{2+} + 2\text{e}^-$	\rightleftharpoons	$\text{Sn}_{(s)}$	-0.14 V
$\text{Pb}^{2+} + 2\text{e}^-$	\rightleftharpoons	$\text{Pb}_{(s)}$	-0.13 V
$\text{H}^+ + \text{e}^-$	\rightleftharpoons	$\frac{1}{2} \text{H}_{2(g)}$	0.00 V
$\text{SO}_4^{2-} + 4\text{H}^+ + 2\text{e}^-$	\rightleftharpoons	$\text{SO}_{2(aq)} + 2\text{H}_2\text{O}$	0.16 V
$\text{Cu}^{2+} + 2\text{e}^-$	\rightleftharpoons	$\text{Cu}_{(s)}$	0.34 V
$\frac{1}{2} \text{O}_{2(g)} + \text{H}_2\text{O} + 2\text{e}^-$	\rightleftharpoons	2OH^-	0.40 V
$\text{Cu}^+ + \text{e}^-$	\rightleftharpoons	$\text{Cu}_{(s)}$	0.52 V
$\frac{1}{2} \text{I}_{2(s)} + \text{e}^-$	\rightleftharpoons	I^-	0.54 V
$\frac{1}{2} \text{I}_{2(aq)} + \text{e}^-$	\rightleftharpoons	I^-	0.62 V
$\text{Fe}^{3+} + \text{e}^-$	\rightleftharpoons	Fe^{2+}	0.77 V
$\text{Ag}^+ + \text{e}^-$	\rightleftharpoons	$\text{Ag}_{(s)}$	0.80 V
$\frac{1}{2} \text{Br}_{2(l)} + \text{e}^-$	\rightleftharpoons	Br^-	1.08 V
$\frac{1}{2} \text{Br}_{2(aq)} + \text{e}^-$	\rightleftharpoons	Br^-	1.10 V
$\frac{1}{2} \text{O}_{2(g)} + 2\text{H}^+ + 2\text{e}^-$	\rightleftharpoons	H_2O	1.23 V
$\frac{1}{2} \text{Cl}_{2(g)} + \text{e}^-$	\rightleftharpoons	Cl^-	1.36 V
$\frac{1}{2} \text{Cr}_2\text{O}_7^{2-} + 7\text{H}^+ + 3\text{e}^-$	\rightleftharpoons	$\text{Cr}^{3+} + \frac{7}{2} \text{H}_2\text{O}$	1.36 V
$\frac{1}{2} \text{Cl}_{2(aq)} + \text{e}^-$	\rightleftharpoons	Cl^-	1.40 V
$\text{MnO}_4^- + 8\text{H}^+ + 5\text{e}^-$	\rightleftharpoons	$\text{Mn}^{2+} + 4\text{H}_2\text{O}$	1.51 V
$\frac{1}{2} \text{F}_{2(g)} + \text{e}^-$	\rightleftharpoons	F^-	2.89 V

THE PERIODIC TABLE

KEY		Symbol of element		Name of element	
Atomic Number	Atomic Weight	79	Au	197.0	Gold
1	H	1.008	Hydrogen		
2	He	4.003	Helium		
3	Li	6.941	Lithium		
4	Be	9.012	Beryllium		
5	B	10.81	Boron		
6	C	12.01	Carbon		
7	N	14.01	Nitrogen		
8	O	16.00	Oxygen		
9	F	19.00	Fluorine		
10	Ne	20.18	Neon		
11	Na	22.99	Sodium		
12	Mg	24.31	Magnesium		
13	Al	26.98	Aluminium		
14	Si	28.09	Silicon		
15	P	30.97	Phosphorus		
16	S	32.07	Sulfur		
17	Cl	35.45	Chlorine		
18	Ar	39.95	Argon		
19	K	39.10	Potassium		
20	Ca	40.08	Calcium		
21	Sc	44.96	Scandium		
22	Ti	47.87	Titanium		
23	V	50.94	Vanadium		
24	Cr	52.00	Chromium		
25	Mn	54.94	Manganese		
26	Fe	55.85	Iron		
27	Co	58.93	Cobalt		
28	Ni	58.69	Nickel		
29	Cu	63.55	Copper		
30	Zn	65.39	Zinc		
31	Ga	69.72	Gallium		
32	Ge	72.61	Germanium		
33	As	74.92	Arsenic		
34	Se	78.96	Selenium		
35	Br	79.90	Bromine		
36	Kr	83.80	Krypton		
37	Rb	85.47	Rubidium		
38	Sr	87.62	Strontium		
39	Y	88.91	Yttrium		
40	Zr	91.22	Zirconium		
41	Nb	92.91	Niobium		
42	Mo	95.94	Molybdenum		
43	Tc	[98.91]	Technetium		
44	Ru	101.1	Ruthenium		
45	Rh	102.9	Rhodium		
46	Pd	106.4	Palladium		
47	Ag	107.9	Silver		
48	Cd	112.4	Cadmium		
49	In	114.8	Indium		
50	Sn	118.7	Tin		
51	Sb	121.8	Antimony		
52	Te	127.6	Tellurium		
53	I	126.9	Iodine		
54	Xe	131.3	Xenon		
55	Cs	132.9	Cesium		
56	Ba	137.3	Barium		
57-71	Lanthanides				
72	Hf	178.5	Hafnium		
73	Ta	180.9	Tantalum		
74	W	183.8	Tungsten		
75	Re	186.2	Rhenium		
76	Os	190.2	Osmium		
77	Ir	192.2	Iridium		
78	Pt	195.1	Platinum		
79	Au	197.0	Gold		
80	Hg	200.6	Mercury		
81	Tl	204.4	Thallium		
82	Pb	207.2	Lead		
83	Bi	209.0	Bismuth		
84	Po	[210.0]	Polonium		
85	At	[210.0]	Astatine		
86	Rn	[222.0]	Radon		
87	Fr	[223.0]	Francium		
88	Ra	[226.0]	Radium		
89-103	Actinides				
104	Rf	[261.1]	Rutherfordium		
105	Db	[262.1]	Dubnium		
106	Sg	[263.1]	Seaborgium		
107	Bh	[264.1]	Bohrium		
108	Hs	[265.1]	Hassium		
109	Mt	[268]	Meitnerium		
110	Uun	—	Ununillium		
111	Uuu	—	Ununium		
112	Uub	—	Unbibium		
113	Uuq	—	Unbiquadium		
114	Uuq	—	Unbiquadium		
115	Uuh	—	Unbihassium		
116	Uuh	—	Unbihassium		
117	Uus	—	Unbioctium		
118	Uuo	—	Unbioctium		

Lanthanides

57	La	138.9	Lanthanum
58	Ce	140.1	Cerium
59	Pr	140.9	Praseodymium
60	Nd	144.2	Neodymium
61	Pm	[146.9]	Promethium
62	Sm	150.4	Samarium
63	Eu	152.0	Europium
64	Gd	157.3	Gadolinium
65	Tb	158.9	Terbium
66	Dy	162.5	Dysprosium
67	Ho	164.9	Holmium
68	Er	167.3	Erbium
69	Tm	168.9	Thulium
70	Yb	173.0	Ytterbium
71	Lu	175.0	Lutetium

Actinides

89	Ac	[227.0]	Actinium
90	Th	232.0	Thorium
91	Pa	231.0	Protactinium
92	U	238.0	Uranium
93	Np	[237.0]	Neptunium
94	Pu	[239.1]	Plutonium
95	Am	[241.1]	Americium
96	Cm	[244.1]	Curium
97	Bk	[249.1]	Berkelium
98	Cf	[252.1]	Californium
99	Es	[252.1]	Einsteinium
100	Fm	[257.1]	Fermium
101	Md	[258.1]	Mendelevium
102	No	[259.1]	Nobelium
103	Lr	[262.1]	Lawrencium