



CATHOLIC SECONDARY SCHOOLS
ASSOCIATION OF NEW SOUTH WALES

--	--	--	--	--

Centre Number

--	--	--	--	--	--	--	--

Student Number

2006
TRIAL HIGHER SCHOOL CERTIFICATE
EXAMINATION

Chemistry

Afternoon Session
Friday 4 August 2006

General Instructions

- Reading time – 5 minutes
- Working time – 3 hours
- Write using blue or black pen
- Draw diagrams using pencil
- Board-approved calculators may be used
- Use the Data Sheet and Periodic Table provided
- Use the Multiple Choice Answer Sheet provided
- Write your Centre Number and Student Number at the top of this page and on page 9

Total marks – 100

Section I

Pages 3-21

75 marks

This section has two parts, Part A and Part B

Part A – 15 marks

- Attempt Questions 1-15
- Allow about 30 minutes for this part

Part B – 60 marks

- Attempt Questions 16-29
- Allow about 1 hour and 45 minutes for this part

Section II

Pages 25-34

25 marks

- Attempt ONE question from Questions 30-34
- Allow about 45 minutes for this section

Disclaimer

Every effort has been made to prepare these 'Trial' Higher School Certificate Examinations in accordance with the Board of Studies documents, *Principles for Setting HSC Examinations in a Standards-Referenced Framework* (BOS Bulletin, Vol 8, No 9, Nov/Dec 1999), and *Principles for Developing Marking Guidelines Examinations in a Standards Referenced Framework* (BOS Bulletin, Vol 9, No 3, May 2000). No guarantee or warranty is made or implied that the 'Trial' Examination papers mirror in every respect the actual HSC Examination question paper in any or all courses to be examined. These papers do not constitute 'advice' nor can they be construed as authoritative interpretations of Board of Studies intentions. The CSSA accepts no liability for any reliance use or purpose related to these 'Trial' question papers. Advice on HSC examination issues is only to be obtained from the NSW Board of Studies.

2801-1

EXAMINERS

Bronwen Hegarty (convenor)	Educational Consultant
Dallas Demeny	Ravenswood School, Gordon
Jo McGrouther	St. Vincent's College, Potts Point
Troy McMurrich	Oakhill College, Castle Hill
Mark Shore	Queenwood School, Mosman
Alan Wilson	Caroline Chisholm College, Glenmore Park

Source

Question 28 – <http://www.csiro.au/files/mediaRelease/mr1999/Ozone.htm>

Section I

75 marks

Part A – 15 marks

Attempt Questions 1-15

Allow about 30 minutes for this part

Use the Multiple Choice Answer Sheet provided

1 Why can ethylene be transformed readily into other compounds?

- (A) It is a product of both fossil fuels and biomass.
- (B) It has a highly reactive double bond.
- (C) It easily loses two H atoms.
- (D) It can be catalytically cracked to form many different alkanes.

2 $n (\text{HO}-\text{C}_6\text{H}_{10}\text{O}_4-\text{OH}) \rightarrow \text{H}-(\text{O}-\text{C}_6\text{H}_{10}\text{O}_4)_n-\text{OH} + (n-1) \text{H}_2\text{O}$

What type of reaction is this?

- (A) catalytic cracking
- (B) condensation polymerisation
- (C) addition polymerisation
- (D) oxidation and reduction


3 A student was investigating the heat of combustion of ethanol. She used an ethanol burner that had an initial mass of 68.0 g. She then lit the burner and placed it under a beaker containing 500 mL of water. After a few minutes, she noticed that the water temperature had risen from 24°C to 38°C and the burner now weighed 66.5 g.

She made the assumption that only the water was heated.

What would be the student's value for the heat of combustion for ethanol?


- (A) 87.8 J mol⁻¹
- (B) 29.3 kJ mol⁻¹
- (C) 899 kJ mol⁻¹
- (D) 1350 kJ mol⁻¹

- 4 Consider the following reaction involving hydrogen ions.



Which statement about the hydrogen ions in this reaction is correct?

- (A) They undergo an increase in oxidation state.
 - (B) They are classified as the oxidising agent.
 - (C) They lose electrons.
 - (D) They undergo an acid-base reaction with the sodium metal.
- 5 The graph shows the radioactive decay of strontium-90.



What is the approximate half-life of strontium-90?





- (A) 30 years
- (B) 50 years
- (C) 80 years
- (D) 140 years

- 6 An unknown chemical was extracted from a soil sample and sent to your laboratory. One of the first tests you carried out was to determine the pH of the chemical by using indicators. The following are the results:

Indicator	Colour
Phenolphthalein	Colourless
Methyl orange	Yellow
Bromothymol blue	Blue

How should your laboratory classify the soil sample?


- (A) strongly acidic
(B) slightly acidic
(C) neutral
(D) slightly alkaline
- 7 The pH of a 0.1 mol L^{-1} solution of a monoprotic acid was measured by a student and found to be close to 3. What proportion of the acid molecules remains unconverted to ions?
- (A) 0 %
(B) 1 %
(C) 60 %
(D) 99 %
- 8 Which of the following curves would represent the change in pH in a conical flask when a solution of hydrochloric acid (from a burette) is added to a solution of sodium hydroxide (in the conical flask)?



- 9 The following diagrams show equipment you have used in carrying out first-hand investigations in the school laboratory.



P



Q



R



S



T

Students were asked to perform an experiment in 3 steps:

- Step 1: The ester, ethyl propanoate, was prepared from ethanol, propanoic acid and a small amount of concentrated sulfuric acid.
- Step 2: An impure sample of the ester was then separated from any unreacted acid, alcohol and sulfuric acid.
- Step 3: A pure sample of the ester was collected.

The equipment used in each step of this experiment was:

	Step 1	Step 2	Step 3
(A)	P	T	Q
(B)	P	Q	S
(C)	Q	R	T
(D)	Q	T	S

- 10 Calculate the mass of carbon dioxide formed when 74.4 L of oxygen gas at 100 kPa and 25 °C completely combusts a sample of ethanol.

- (A) 44 g
(B) 50 g
(C) 88 g
(D) 132 g



- 11 Identify the catalyst used in the Haber process.

- (A) a zeolite
(B) concentrated sulfuric acid
(C) dilute sulfuric acid
(D) iron oxide

12 Identify the ion present in an unknown solution that produces bubbles with the addition of dilute nitric acid.

- (A) Cl^-
- (B) CO_3^{2-}
- (C) PO_4^{3-}
- (D) SO_4^{2-}

13 The three equations below summarise a series of reactions occurring in the atmosphere.



What do these three equations explain?

- (A) Production of oxygen gas in the troposphere.
- (B) Formation of ozone in the stratosphere.
- (C) Absorption, by ozone, of harmful UV radiation.
- (D) Production, destruction and regeneration of chlorine atoms.

14 CHCl_2CF_3 and CHClFCClF_2 are

- (A) isomers
- (B) isotopes
- (C) allotropes
- (D) CFCs

15 The treatment of water to make it suitable for human consumption is a process which occurs in steps.

Identify the INCORRECT statement relating to this process.

- (A) The pH of the water is increased by the addition of lime or sodium hydroxide to assist in coagulation.
- (B) Salts such as alum or iron (III) chloride are added to bring about coagulation and sedimentation of suspended materials.
- (C) Chloride ions are added to kill bacteria in the water.
- (C) Fluoride salts may be added to assist in the prevention of tooth decay in children.

BLANK PAGE



--	--	--	--	--

Centre Number

Chemistry

Section I (continued)

--	--	--	--	--	--	--	--	--

Student Number

Part B – 60 marks

Attempt Questions 16-29

Allow about 1 hour and 45 minutes for this part

Answer the questions in the spaces provided.

Show all relevant working in questions involving calculations.

Question 16 (3 marks)

Marks

- (a) Using a labelled diagram, demonstrate how polystyrene can be produced from its monomer.

2

- (b) Explain ONE use of this polymer in terms of ONE of its physical properties.

1

.....


.....

.....

2801-1

Question 17 (6 marks)**Marks**

In order to produce a cell with a voltage between 1.1 V and 1.2 V, a student constructed the following galvanic cell.



- (a) Label the cathode on the above diagram. **1**
- (b) Explain why KCl (aq) would be an *inappropriate* choice for the salt bridge in this cell. **2**
-
-
-
-
- (c) Calculate the cell potential, showing relevant half-equations, in order to evaluate the student's selection of electrodes and electrolytes. (Assume standard conditions.) **3**
-
-
-
-
-
-

Question 18 (2 marks)

Marks

Name an isotope used in industry. Explain how its use is related to its properties.

2

.....

.....

.....

.....

.....

.....

.....

.....

Question 19 (2 marks)

Marks

Cobalt – 60 forms when cobalt – 59 captures a neutron.

(a) Write a balanced nuclear equation for this reaction.

1

.....

(b) Explain why cobalt – 60 is produced in a nuclear reactor rather than a cyclotron (particle accelerator).

1

.....

.....

.....

Question 20 (7 marks)

Marks

Fossil fuels are currently the dominant source of both energy and raw materials needed for the production of polymers. However, the supply of fossil fuels is finite and rapidly diminishing. In the near future, a replacement source of both energy and polymer raw materials will need to be found and one potential source is ethanol. Using appropriate chemical equations, assess the potential of ethanol as a resource to replace fossil fuels for the supply of both polymers and energy.

HSCFocus.com

Question 21 (4 marks)**Marks**

- (a) SO_2 , K_2O , N_2O_5 , CaO

From the list of oxides above, identify:

- (i) a basic oxide **1**
- (ii) an acidic oxide **1**
- (b) Write a balanced equation for a reaction which illustrates the acidic or basic nature of one of the oxides you identified in part (a). **1**
-
- (c) Aluminium oxide is classified as amphoteric. Define the term amphoteric. **1**
-
-
-

Question 22 (3 marks)**Marks**

- (a) State an industrial use for a named ester. **1**
-
-
- (b) (i) Draw the structural formula for the ester produced in the reaction between 1-butanol and ethanoic acid, in the presence of concentrated sulfuric acid. **1**
- (ii) Name this ester. **1**
-

Question 23 (8 marks)**Marks**

Hydrogen sulfide gas is extremely toxic if inhaled, has an unpleasant smell (rotten eggs) and is highly flammable. Stringent precautions are required when handling it.

- (a) Explain why hydrogen sulfide is classified as a WEAK acid. **1**

.....

.....

.....

- (b) Explain (with the aid of a chemical equation) why H_2S is considered a Bronsted-Lowry acid. **2**

.....

.....

.....

.....

.....


- (c) Identify ONE conjugate acid-base pair involved in the equation you have written in (b) above. **1**

.....

Question 23 continues on page 15

Question 23 (continued)**Marks**

- (d) Hydrogen sulfide (*g*) is formed when hydrochloric acid reacts with zinc sulfide.



In an experiment performed in a fume cupboard 50.0 mL of 0.10M HCl was added to 0.11 g of solid zinc sulfide.

- (i) Which reagent is in excess? *Show Your Working.*

2

.....

.....

.....

.....

.....

.....

- (ii) What volume of hydrogen sulfide (*g*) is produced at 298K and 100 kPa in this experiment

2

.....

.....

.....

.....

.....

.....

End of Question 23

Question 24 (5 marks)**Marks**

Caustic soda (sodium hydroxide) can be used to strip paint off furniture.

A 3.0 g container of caustic soda was dissolved in water and the volume of the solution was made up to 3.0 L.

The sodium hydroxide solution was then titrated with 0.026 mol L^{-1} hydrochloric acid solution.

- (a) Calculate the concentration of the sodium hydroxide solution in mol L^{-1} . *Show your working.* **1**

.....

.....

.....

.....

- (b) Determine the pH of the hydrochloric acid solution. **1**

.....

.....

.....

- (c) Evaluate the use of sodium hydroxide as a *primary standard*. **3**

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 25 (4 marks)**Marks**

The Haber Process has been used for over 90 years for the industrial production of ammonia. **4**
This process must be carefully managed and monitored by industrial chemists.

Analyse the impact of changes in pressure and temperature on the yield and rate of production of ammonia during the Haber Process.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 26 (2 marks)**Marks**

Explain why incomplete combustion of carbon-based fuels is considered a problem for the environment and identify how scientists can reduce the possibility of incomplete combustion occurring. **2**

.....

.....

.....

.....

Question 27 (5 marks)

Marks

- (a) Identify the purpose of using standard solutions in atomic absorption spectroscopy (AAS). 1


- (b) Assess the impact of atomic absorption spectroscopy (AAS) on scientific understanding of the effects of ONE trace element that you have studied. 4

HSCFocus.com

Question 28 (4 marks)

Marks

This graph summarises the atmospheric ozone concentrations measured at Halley Bay.



- (a) Identify the trends or patterns described by the graph.

2

.....

.....

.....

.....

.....

.....

- (b) Explain ONE method of obtaining the data in the graph.

2

.....

.....

.....

.....

.....

.....

Question 29 (5 marks)**Marks**

The hardness of a sample of water was investigated using the following methods.

Method A

25.0 mL samples of water were titrated against ethylenediamine tetra-acetic acid (EDTA) with Eriochrome Black T indicator. 21.7 mL of EDTA was required. The hardness was calculated to be equivalent to 17 mg/L of CaCO_3 .

Method B

Three drops of detergent were added to separate vials containing 5 mL samples of distilled water, hard water and the sample. After shaking the vials ten times the heights of froth were compared. The procedure was repeated twice. As the amount of froth in the three samples was only slightly less than in the distilled water the sample was determined to be soft.

- (a) Identify which of the TWO methods is classified as *qualitative*. 1

.....

- (b) Using the following table, the results from Method A indicated the sample was soft. 1

Water Hardness Scale	
Concentration of CaCO_3	Classification
less than 20 ppm	soft
20-60 ppm	slightly hard
60-120 ppm	moderately hard
more than 120 ppm	hard

Justify this conclusion.

.....
.....

Question 29 continues on page 21

Question 29 (continued)

Marks

- (c) Compare the appropriateness of Method A and Method B for determining the hardness of the water. **3**

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

End of Question 29

BLANK PAGE

BLANK PAGE

BLANK PAGE



Chemistry

Section II

25 marks

Attempt ONE question from Questions 30-34

Allow about 45 minutes for this section

Answer the question in a SEPARATE writing booklet.

Show all relevant working in questions involving calculations.

	Page
Question 30 Industrial Chemistry	26-27
Question 31 Shipwrecks, Corrosion and Conservation	28-29
Question 32 The Biochemistry of Movement.....	30-31
Question 33 The Chemistry of Art.....	32
Question 34 Forensic Chemistry.....	33-34

Question 30 – Industrial Chemistry (25 marks)**Marks**

- (a) The gas carbon oxyfluoride (COF_2) decomposes to the gas tetrafluoromethane (CF_4) and carbon dioxide.




The reaction is carried out at 200°C in a fixed volume 5.00 L container. Initially 0.400 mol of carbon oxyfluoride is present in the flask. At equilibrium 0.080 mol of carbon oxyfluoride remains.

- (i) Write the expression for the equilibrium constant for this reaction. **1**
- (ii) Determine the value of the equilibrium constant. **3**
- (iii) An increase in temperature results in 0.090 mol of carbon oxyfluoride being present at equilibrium. Is the decomposition of carbon oxyfluoride exothermic or endothermic? Explain your answer **1**
- (b) Outline the steps and conditions necessary for the industrial production of H_2SO_4 from its raw materials. **4**
- (c) During the course of your studies you performed a first-hand investigation to identify the products of electrolysis of NaCl.
- (i) Use equations to identify the products when both concentrated NaCl and dilute NaCl solutions are electrolysed. Explain the tests you used to identify the products in each case. **4**
- (ii) What would be the products of electrolysis of *molten* sodium chloride? **1**
- (d) During the past 50 years, different classes of synthetic detergents have been developed to replace soap as the dominant cleaning agent. Assess the impact on the environment of the use of these synthetic detergents as a replacement for soap. **5**

Question 30 continues on page 27

(e) The flow chart below summarises the Solvay Process.



- (i) What are the raw materials needed for this industrial process? 1
- (ii) Write equations for the steps in the process which result in the formation of sodium hydrogen carbonate and ammonium chloride. 2
- (iii) The outputs of the Solvay process include sodium carbonate and a waste chemical product. Identify this waste product and explain how the disposal of this waste influences the choice of location of the manufacturing plant. 3

End of Question 30

Question 31 – Shipwrecks, Corrosion and Conservation (25 marks)**Marks**


- (a) (i) Minerals are leached by rainwater from terrestrial environments into the oceans. **1**
Identify another significant source of minerals in the ocean.
- (ii) Describe the processes that occur when a saturated solution evaporates and relate this to the potential damage to drying artefacts. **2**
- (iii) Discuss a chemical procedure for removing salts from a metal artefact. **3**
- (b) The chemical analysis of TWO steels is summarised in this table.

Steel X		Steel Y	
Element	%	Element	%
C	0.08	C	0.95
Mn	2.00	Mn	1.1
Si	0.75	Cr	0.6
Cr	16.0	W	0.6
Mo	2.0	V	0.1
Ni	10.0	Si	0.25

- (i) Identify the main element in steel. **1**
- (ii) Outline the steps that could be carried out to make a valid comparison of the corrosion rates of these TWO steels in a marine environment. **3**
- (iii) Justify the selection of Steel X for handrails on a marine vessel. **2**

Question 31 continues on page 29

- (c) The diagram below shows an application of cathodic protection.



Copy the diagram into your answer book.

- (i) On your diagram, label the anode. 1
- (ii) On your diagram, indicate the flow of electrons. 1
- (iii) Write the reduction half equation. 1
- (d) Explain how an understanding of electron transfer reactions can be used to clarify the role of bacteria in accelerating the corrosion of deeply submerged wrecks. 6
- (e) In an investigation to predict the rate of corrosion of a metal at great depths, the following items of information were discovered.

GRAPH: Pressure versus Ocean Depth




TABLE: Solubility (g/100g H_2O)


Pressure (atm)	O ₂	N ₂	CO ₂
5	0.08	0.04	0.8
10	0.16	0.08	1.6

- (i) Use the items to deduce the qualitative relationship between depth and solubility of gases. 1
- (ii) Evaluate the relevance of these TWO items to the investigation. 3

End of Question 31

Question 32 – The Biochemistry of Movement (25 marks)**Marks**

- (a) (i) Describe how amino acids bond to form peptide chains. Include an equation or diagram of a peptide bond in your answer. **2**
- (ii) Identify the amino acid which makes disulfide bonding possible and sketch TWO appropriate sections of amino acid chains connected by a disulfide bond. **2**
- (iii) Assess the influence of disulfide bonds on the shape of a protein. **4**
- (b) The diagram below summarises the aerobic release of energy in cells.



Glycolysis is the first step in this process.

3

Summarise the process of glycolysis. Ensure that you include in your summary:

- the identity of the raw material used
- the form in which the energy is captured
- the end product of the process.

Question 32 continues on page 31

Question 32 (continued)		Marks
(c)	(i) Identify the chemical cause of muscle cell contractions.	1
	(ii) Outline the role of ATP in muscle contraction movement.	1
(d)	Assess the relative importance of triacylglycerols (TAGs) and carbohydrates as energy resources for humans.	8
(e)	In your study of enzymes, you performed a first-hand investigation of factors which can affect the reactions of an enzyme. Identify the enzyme you studied and TWO factors which you investigated.	2
(f)	Explain when anaerobic respiration occurs and outline a problem associated with anaerobic respiration.	2

End of Question 32

Question 33 – The Chemistry of Art (25 marks)**Marks**

- (a) Identify the element whose neutral atom has the following electronic configuration: **1**
 $1s^2 2s^2 2p^3$
- (b) The first FOUR ionisation energies for boron are: **1**
 $I_1 = 807 \text{ kJ mol}^{-1}$
 $I_2 = 2433 \text{ kJ mol}^{-1}$
 $I_3 = 3666 \text{ kJ mol}^{-1}$
 $I_4 = 25033 \text{ kJ mol}^{-1}$
Explain why there is such a large difference between the third and fourth ionisation energies.
- (c) (i) Explain how flame tests could be used to distinguish between potassium chloride and strontium nitrate. **1**
- (ii) Describe, with an example, how you could show that the metal ions in a compound are responsible for the flame colour and not the anions. **2**
- (d) A green complex is identified as $[\text{Ni}(\text{H}_2\text{O})_6]^{2+}$.
- (i) For the above complex identify the metal ion and its oxidation state. **1**
- (ii) Identify the property of the atoms within the ligand that allow it to be bonded to the metal ion. **1**
- (iii) Identify the block in the Periodic Table which contains elements that tend to form coloured compounds. Explain, in terms of electronic configurations and using a *specific example*, why these compounds are coloured. **5**
- (e) With reference to a particular pigment, explain why pigments used for cave paintings, self decoration or burial needed to be insoluble in most substances. **2**
- (f) Discuss the merits and limitations of the Bohr model of the atom. **4**
- (g) You have carried out a first hand investigation to demonstrate that potassium permanganate is a **STRONG oxidising agent**.
- (i) What is the oxidation state of manganese in the permanganate ion? **1**
- (ii) Describe your experimental procedure and the observations you made. **3**
- (iii) Write half equations and an overall equation for the reactions you describe. **3**


Question 34 – Forensic Chemistry (25 marks)**Marks**

- (a) An illegal shipment of endangered snakes was confiscated at Kingsford Smith Airport.

The major mineral compositions and possible origins of a sample of soil found in the container are shown in the table below.

Atomic emission analysis was performed on the sample and on soil samples taken from THREE possible sites A, B and C, to confirm its origin.

Possible origin	Minerals present	Chemical composition of mineral
Site A	cinnabar azurite	HgS $\text{CuCO}_3 \cdot \text{Cu(OH)}_2$
Site B	calcite malachite	CaCO_3 $\text{CuCO}_3 \cdot \text{Cu(OH)}_2$
Site C	haematite cuprite	Fe_2O_3 Cu_2O



- (i) Use the data provided to identify the origin of the sample. **1**
- (ii) Outline the conditions necessary for elements to emit light. **2**
- (b) (i) Describe a simple procedure that can be used to distinguish between organic and inorganic compounds. **2**
- (ii) Name TWO classes of organic compounds. For each class, draw the structural formula of a compound which is a member of this class and circle the functional group in the compound. **2**

Question 34 continues on page 34

Question 34 (continued)

Marks

- | | | | |
|-----|------|---|----------|
| (c) | (i) | Use an appropriate example to describe when destructive testing is a problem in forensic analysis. | 1 |
| | (ii) | Name ONE non-destructive method for testing small samples. | 1 |
| (d) | (i) | Use a diagram or equation to explain the chemical difference between reducing and non-reducing sugars. | 2 |
| | (ii) | Outline the procedure that you followed to distinguish between a reducing and a non-reducing sugar. | 3 |
| (e) | (i) | Proteins can be grouped on the basis of their function. Distinguish between the TWO main groups of proteins. | 2 |
| | (ii) | Chromatography and electrophoresis are TWO procedures regularly used by forensic chemists. Compare and contrast these TWO procedures. | 4 |
| (f) | | Advances in DNA technology have changed the way in which evidence can affect the outcome of civil and criminal proceedings. However, the use of DNA technology has raised ethical issues for society. | 5 |

Discuss these statements.

End of Paper

BLANK PAGE

BLANK PAGE